

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 111"

OVERALL WIDTH WITH RUB

RAILS & FENDERETTES = 98"

WHELEN 700 SERIES WHITE
SUPER LED LIGHT ATTACHED
TO FRONT OF CONDENSER
WITH BRACKET

(4) WHELEN 900
RED SUPER LED
WITH CLEAR LENSES

AUXILIARY AC
CONDENSER


(2) WHELEN 700 SERIES
RED SUPER LED
GRILLE LIGHTS
WITH CLEAR LENSES

HIDDEN UNLOCK SWITCH
IN GRILLE AREA

CAST PRODUCTS
SIREN SPEAKERS

FLASHING HEADLIGHTS W/
DAYTIME RUNNING LIGHTS

RECESSED TOW HOOKS



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2014 FRONT EXTERIOR VIEW
CHIEF XL-1 / INTERNATIONAL TERRASTAR CHASSIS

1:17

DATE:
08 APR 13
DWG. REV.
GLF NR

DRAWING NO.
14XLTERRASTAR-1

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 111"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"

(1) WHELEN 600 AMBER SUPER LED WITH CLEAR LENS

ALLOW ROOM FOR POSSIBLE FUTURE
 INSTALL OF TRAFFIC ADVISOR.
 (FOR REFERENCE, WHELEN TAL85 PROFILE SHOWN)

(2) WHELEN 600 CLEAR HALOGEN LOAD LIGHTS

(2) WHELEN 900 RED
 SUPER LED WITH
 CLEAR LENSES

REAR VIEW CAMERA

(2) WHELEN 900 RED
 SUPER LED WITH
 CLEAR LENSES


(1) EACH SIDE, WHELEN
 600 LED BRAKE/TAIL,
 600 LED TURN
 600 HALOGEN BACK-UP
 NOTE: MOUNT OUTBOARD AS
 FAR AS PRACTICAL

INDEPENDENT BUMPER WITH
 NON-SKID FLIP-UP CENTER
 STEP AND COT PROTECTOR
 ON STEP EDGE. TOW HOOKS
 LOCATED BELOW STEP/BUMPER.

LOCATION FOR
 DOOR GRABBERS

LED LICENSE
 PLATE LIGHT

MUD FLAPS




THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2014 REAR EXTERIOR VIEW
 CHIEF XL-I / INTERNATIONAL TERRASTAR CHASSIS

DATE:	08 APR 13	DRAWING NO.	14XLTERRASTAR-2
DWG.	GLF	REV.	NR
1:16			

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 111"
 OVERALL LENGTH = 291"
 MODULE LENGTH = 169"



COMPARTMENT

O.S.S #1

CLEAR OPENING: 73.00h x 18.25w
 INSIDE DIM'S.: 82.75h x 24.50w x 20.75d
 BACKBOARD/SCOOP STORAGE

O.S.S #2

CLEAR OPENING: 40.25h x 39.50w
 INSIDE DIM'S.: 43.75h x 44.50w x 20.75d
 (1) ADJUSTABLE SHELF

O.S.S #3

CLEAR OPENING: 63.50h x 28.75w
 INSIDE DIM'S.: 65.25h x 31.25w x 20.75d
 INSIDE/OUTSIDE ACCESS
 (1) ADJUSTABLE SHELF

COMPARTMENTS WITH ADJUSTABLE SHELVES HAVE RECESSED UNISTRUT SHELF TRACK

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2014 STREETSIDE EXTERIOR VIEW
 CHIEF XL-1/ INTERNATIONAL TERRASTAR CHASSIS

DATE: 08 APR 13		DRAWING NO.	
DWG. GLF	REV. NR	14XLTERRASTAR-3	

1:30

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 111"
 OVERALL LENGTH = 291"
 MODULE LENGTH = 169"



COMPARTMENT
 O.S.S #4

CLEAR OPENING: 73.00h x 24.75w
 INSIDE DIM'S. 4A: 82.75h x 15.00w x 20.75d
 BACKBOARD/SCOOP STORAGE

INSIDE DIM'S. 4B: 82.75h x 13.50w x 12.00d
 MAIN OXYGEN STORAGE

O.S.S #5

CLEAR OPENING: 47.50h x 17.50w
 INSIDE DIM'S: SEE PARTITION INTERIOR VIEW
 INSIDE/OUTSIDE STORAGE WITH THREE (3) ADJUSTABLE SHELVES


COMPARTMENTS WITH ADJUSTABLE SHELVES HAVE
 RECESSED UNISTRUT SHELF TRACK

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2014 CURBSIDE EXTERIOR VIEW
 CHIEF XL-1/ INTERNATIONAL TERRASTAR CHASSIS

DATE: 08 APR 13		DRAWING NO.	
DWG. GLF	REV. NR	14XLTERRASTAR-4	
1:30			



RECESSED IMPACT #324 SUCTION
NOTE: HOUSING TO BE OVERSIZE TO ACCOMODATE CHANGEOUT OF UNIT TO PORTABLE SUCTION SUCH AS SSCOR VX-2, ETC.

125 VAC OUTLET

12 VDC OUTLET MOUNTED ON BOTTOM OF ACP

125 VAC OUTLET

EVS SEAT WITH INTEGRAL CHILD SAFETY SEAT AND ADULT 2-POINT LAP BELT, MOUNTED ON SWIVEL BASE

- COMPARTMENT
- #1 DOOR OPENING: 11.50h x 20.50w
INSIDE DIMS: 13.25h x 22.25w x 17.25d
(1) ADJUSTABLE SHELF
SLIDING ACRYLIC CABINET DOORS
 - #2 DOOR OPENING: 11.50h x 35.25w
INSIDE DIMS: 13.25h x 37.00w x 17.25d
(1) ADJUSTABLE SHELF
SLIDING ACRYLIC CABINET DOORS
 - #1A & #2A ANGLED-FACE CABINETS WITH LIFT-UP DOORS
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
OPENING DIMS: 12.25h x 12.00w
EACH DOOR TO BE DRY-ERASE BOARD WITH HOLD-OPEN
 - #3 DOOR OPENING: 26.25h x 26.50w
INSIDE DIMS: O.S.S. #3
RECESSED .375" ACRYLIC DOORS WITH FULL LENGTH HANDLES
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
 - #4 = TWO DRAWERS THAT PULL-OUT TOWARD CPR SEAT
INSIDE DIMS: 3.00h x 9.75w x 13.00d
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
 - #5 PULL-OUT DRAWER WITH HINGED ACRYLIC WRITING SURFACE
INSIDE DIMS: 4.50h x 14.50w x 13.25d
LOCKING STAINLESS STEEL FLUSH PULL LATCH
- CABINETS TO BE ALUMINUM
- CABINET SHELF TRACK TO BE RECESSED
- MINIMIZE EXPOSED FASTENERS


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2014 STREETSIDE INTERIOR VIEW
CHIEF XL-I

DATE:		08 APR 13		DRAWING NO.	
DWG.	REV.	GLF	NR	14XLTERRASTAR-5	

1:22



COMPARTMENT

- #1 DOOR OPENING: 48.00h x 7.25w
- INSIDE DIMS: 50.00h x 11.50w x 7.50d
- RECESSED .375" ACRYLIC DOOR
- (1) LOCKING STAINLESS STEEL FLUSH PULL LATCH
- (4) ADJUSTABLE SHELVES

- #2 INSIDE DIM'S: 14.25h x 77.00w x 21.00d

CABINETS TO BE ALUMINUM

CABINET SHELF TRACK TO BE RECESSED
MINIMIZE EXPOSED FASTENERS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2014 CURBSIDE INTERIOR VIEW
CHIEF XL-I

1:20

DATE:	08 APR 13
DWG.:	GLF
REV.:	NR

DRAWING NO.	14XLTERRASTAR-6
-------------	-----------------



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2014 PARTITION INTERIOR VIEW
 CHIEF XL-1

DATE:		DRAWING NO.	
08 APR 13		14XLTERRASTAR-7	
DWG.	REV.		
GLF	NR		

OXYGEN BYPASS

OXYGEN ACCESS



ALUMINUM PANEL
ZOLATONE FINISH
WITH LATCH ACCESS

ALUMINUM PANEL
ZOLATONE FINISH
WITH LATCH ACCESS

RED/WHITE REFLECTIVE STRIP
ON INSIDE OF EACH DOOR

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2014 REAR INTERIOR VIEW
CHIEF XL-1

1:12

DATE:
08 APR 13
DWG. GLF NR

DRAWING NO.
14XLTERRASTAR-8



 = (2) RECESSED CEILING IV HANGER LOCATIONS

* (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER CENTER MOUNT COT HARDWARE

MODULE WIDTH = 96"
 MODULE LENGTH = 169"
 MODULE HEAD ROOM = 72"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2014 FLOOR INTERIOR VIEW
 CHIEF XL-1

DATE: 08 APR 13	DRAWING NO.	
	DWG. GLF	REV. NR
1:22	14XLTERRASTAR-9	