

Dealer Name: **Ten-8 Fire and Safety**  
 Salesperson: Jason Adair  
 Customer Name: \_\_\_\_\_  
 & Address \_\_\_\_\_  
 Shipping Address: Ten-8 Fire and Safety  
 Fleet Number: \_\_\_\_\_  
 Contact Name: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Fax: \_\_\_\_\_  
 Chassis Type: 2024 F550,4x2, (extendend cab),192"WB **RACE RED**  
 Osage Unit #: 7016 / J3466

VIN: 1FDOX5GT0RED51978

Qty	<b>CHEVROLET G-SERIES TYPE III - 2025 CHASSIS ONLY</b>		
<u>1</u>	F	F-550, 192" WB, 4x2	<b>RACE RED</b>
<u>1</u>		Extended cab option	
<u>1</u>		Ford 2148 Warrior	
Qty	<b>Warning &amp; Intersection Lights, Wig-Wag</b>		
<u>19</u>	AE W-03	Chrome Flanges for M9	<b>BLACK FLANGES</b>
<u>6</u>	AE W-04	Chrome Flanges for M6 or M7	<b>BLACK FLANGES</b>
Qty	<b>Premption</b>		
Qty	<b>Custom Lightbars</b>		
Qty	<b>Directional Sticks</b>		
Qty	<b>LED Strip Lighting</b>		
Qty	<b>Whelen Smart Linear LED's</b>		
<u>8</u>	ACE W-34	Upgrade 900 to M9 LED, R, B, A, R/B, R/A	
<u>1</u>	AC W-35	Upgrade 900 to M9, All or 1/2 Clear	
<u>8</u>	ACE W-36	Additional M9, Red, B, A, R/B, R/A	
<u>2</u>	A W-40	Upgrade ION-T to M6 All or 1/2 CLR	<b>OVER REAR WHEELS</b>

<u>2</u>	A	W-41	Additional M6 LED, R, B or A	<b>ON #4 and #5 doors</b>
<u>2</u>		W-44	Upgrade ION-T to M7 R, B or A	<b>FRONT FENDER</b>
Qty			<b>Scene Lights</b>	
<u>2</u>		W-61	Pioneer Single w/Flange, Upgrade	PCPSM1C
<u>2</u>		W-62	Pioneer Spot & Flood w/Flange, Upgrade	PCPSM2C
<u>1</u>		W-65	Upgrade Brake/Tail to M6 (Pair)	
<u>1</u>		W-66	Upgrade Turn to M6 (Pair)	
<u>1</u>		W-67	Upgrade Reverse to M6 (Pair)	
Qty			<b>Siren &amp; Speakers</b>	
<u>1</u>		W-74	295 HFSC9 Dual Tone	
<u>1</u>		W-77	Whelen Howler (Only Available w/ Whelen Siren)	
<u>1</u>		W-78	Buell Dual Air Horns Mounted Under Front Bumper	
Qty			<b>Exterior Lighting</b>	
<u>1</u>		W-84	LED Running Board Lights	
<u>1</u>		W-89	Techniques E-41 LED Strip Lighting in all Compartments	
Qty			Additional Emergency & Exterior Lighting & Siren Options & Special Instructions	
<u>2</u>			Whelen M6V2*C wheelwell light ( <b>activate with turn signal and backup</b> )	
<u>1</u>			Mount brake and reverse lights in lower kickplate	
<u>1</u>			Siren/horn/air horn switch	
<u>1</u>			Passenger foot switch for air horns ( <b>mount as high as possible on floor boards</b> )	
<u>1</u>			Front Pioneer to flash in primary, off in park. Separate switch to turn it on steady burn.	
<u>1</u>			Scene lights independent of modular master on switch	
Qty			<b>Inverters, Chargers, Batteries, Shorelines &amp; Outlets</b>	
<u>1</u>		E-04	Iota P.C. 45 Battery Charger (Requires 30 Amp Shoreline)	
<u>1</u>		E-06	OEM Batteries Mounted in Slide Out Tray in Exterior Battery Compt. (N/A on Type I)	
<u>1</u>		E-07	Additional (3rd) Matching Battery (Requires Ordering Exterior Battery Compartment)	
<u>1</u>	B	E-10	Upgrade to Kussmaul Auto Eject Shoreline Plug, 32 Amp	
Qty			<b>Outlets &amp; Interior Lighting</b>	
<u>4</u>			12V DC Outlet, Cigar Style, Additional per Outlet	Note: Outlets will be Ignition Hot unless
	AB	E-13	otherwise specified	<b>#4 and #5 Compartments &amp; 2 in front portion of vest cabinet in extended cab</b>
<u>1</u>		E-16	Single Overhead Reading Light in Cab	
<u>1</u>		E-22	Power Door Lock Control Head	
<u>7</u>		E-23	Power Door Lock Per Door	
<u>8</u>		E-25	Whelen Round LED Domelights w/Chrome Flange (Upgrade per Lt)	

Qty			<b>Switches &amp; Secure Idle</b>
<u>1</u>	A	E-34	Hidden Switch in Grill for Door Locks (All Other Chassis) <b>In Battery Compartment</b>
Qty			<b>Pre-wires, Radios, Intercom, &amp; Clocks</b>
<u>2</u>		E-38	Antenna Pre-Wire, (additional per Pre-Wire)
Qty			<b>ELECTRICAL OPTIONS</b>
Qty			<b>V-Mux Options</b>
<u>1</u>		E-57	Brake Override
Qty			<b>HVAC Systems</b>
<u>1</u>		E-75	Auxiliary Condenser
<u>1</u>		E-76	Upcharge to Install Condensor on Front of Module
Qty			<b>Mirrors, Hind-Sight, Backup Camera, &amp; Spotlights</b>
<u>1</u>		E-84	Brigade Color Reverse Camera
Qty			<b>ELECTRICAL OPTIONS</b>
Qty			<b>Additional Electrical Options &amp; Special Instruction</b>
<u>1</u>			Tie modular locks to chassis locks (standard)
<u>1</u>			1 1/2" conduit from cab to modular box
<u>6</u>			6-12V wires coiled in top of exterior compts.
<u>1</u>			Tray in bottom of in/out for 3rd battery, separate compartment
<u>1</u>	A		E-38: All three to radio cabinet
Qty			<b>I.V. &amp; Suction</b>
Qty			<b>Cot Mounts</b>
<u>1</u>		M-07	Stryker Performance Load Cot Mount with Inductive Charging
Qty			<b>Oxygen</b>
<u>1</u>		M-12	Additional O2 Outlet Over Squad Bench
<u>1</u>		M-13	O2 Regulator for "M" Tank
<u>1</u>		M-14	O2 Flow Meter /Tube-Type
<u>1</u>		M-20	Zico Portable O2 Bracket QRD2
Qty			<b>Additional Medical Options &amp; Special Instructions</b>
<u>1</u>			"M" tank mounted in squad bench Zico QR-M
Qty			<b>Laminate &amp; Vinyl</b>
<u>1</u>	A		<b>Laminate Color: GRAY NEBULA</b>
<u>1</u>			<b>Vinyl Color: Ash Grey</b>
<u>1</u>			<b>Lonplate Color: Gunmetal #424</b>
Qty			<b>Flooring, Aisle, Backboard Slots</b>

Qty		<b>Seating, Squad Bench, EMT, CPR</b>	
<u>1</u>	I-08	3-Pt. Child Seat	
		6-Point Seat Belt, Per Position	
<u>2</u>		<b>Note: Specify Color (If no color is chosen, black will be provided:</b>	
	A I-20	<b>Black</b> ___ x ___ <b>Orange</b> ___ <b>Red</b> ___ <b>Yellow</b> ___	
<u>1</u>	I-22	Cargo Net, End of Squad Bench	
Qty		<b>Cabinetry, Windows, Marker Boards, Shelves, &amp; HVAC Ducts</b>	
<u>1</u>		Dual Drink Holders	
<u>1</u>	I-30	Customize Console in Type I	
		Cabinet Over Squad Bench, (Requires 43" Between Bench Cushion & Cabinet) (Standard in 2168)	
<u>1</u>	A I-35		
		Cabinet over CPR Seat (Requires 43" between Bench Cushion & Cabinet) (Std. in 2168)	
<u>1</u>	I-36		
<u>1</u>	I-51	Track-Type Adjustable Shelves in Interior Cabinets, (per shelf)	
<u>1</u>	I-56	Additional Adjustable Shelf & Light in ALS	
<u>1</u>	I-59	Glove Storage Over Side Entry Door	
<u>3</u>	G I-64	Chevrons on Entry Door Kickplates (Per Door)	
Qty		<b>Doors, Locks, &amp; Latches</b>	
<u>2</u>	B I-69	Lock on Interior Cabinet <b>ALS and Cabinet above ALS</b>	
<u>12</u>	I-71	Southco Stainless Steel Latches, (per Latch)	
Qty		<b>Counter Tops</b>	
<u>1</u>		Speckled Gray	
Qty		<b>Sharps, Waste, &amp; Drawers</b>	
<u>2</u>	I-86	Drawer for General Storage (Indicate Location)	
Qty		<b>Grab Rails &amp; Bars, Armrests</b>	
<u>1</u>	G I-94	12" Stainless Grab Handle	
Qty		<b>Insulation &amp; Sound Deadening</b>	
Qty		<b>Additional Headroom, Crawl Through (Type I), Bariatric Package</b>	
<u>1</u>	I-99	Custom Headroom. Fill in Height ___72___	
<u>1</u>	I-103	Single Bench Lid	
Qty		<b>Additional Interior Options &amp; Special Instructions</b>	
<u>1</u>		Map slots on rear cab console extension angled forward (see design)	
<u>1</u>		Flip-up plexiglas over bench	

1		Move vent to above bench
1		Cabinet in action area
1		Remove rear cab seats. Install vest storage
1	G	Trash can mounted on rear CS door
Qty		<b>Custom Body Size, Compartments, Doors &amp; Door Window</b>
1	EX-01	Custom body Length. Fill in Length <u>  156  </u>
3	EX-05	Change Exterior Compartment Size
2	EX-09	Double Door on Exterior Compartment ILO Single Door
1	EX-16	Dry Deck All Compartments
Qty		<b>Shelves &amp; Dividers</b>
2	EX-21	Adjustable Shelving Unit in Exterior Compartment w/One Shelf 30"-48" wide
Qty		<b>Rear Bumpers &amp; Entry Steps</b>
1	A EX-35	Smooth Aluminum Kickplates (3)
2		SCBA mounting bars for #4 and #5 compts., ship loose
2		SCBA brackets (ship loose)
2		Stainless sill protection on side of exterior compts. (In/out and #4)
1		Mount compressor and suction in bottom of #1. Add fixed shelf above
1		Diamond plate protection below fuel fill and DEF fill (Black)
1		Type I's Only: Taper Rear 12" of Floor Down 1"(NOTE: Be sure customer's cot will work with 34" Load Height)
1		Aluminum spacer under rear 11" of Strker plate
1		Rear Kick plate to be Black in color
Qty		<b>Rub Rail, Tow Hooks, Mud Flaps, Chains</b>
1	EX-42	Recessed Rear Tow Hooks
1	EX-45	Grip Strut Inserts in Running Boards
Qty		<b>MISCELLANEOUS OPTIONS</b>
1	MS-01	Credit for Shipping Spare Tire Loose
1	MS-03	Fire Extinguisher, 5lb
1	MS-05	Delete Decal Package
Qty		<b>Additional Exterior &amp; Miscellaneous Options &amp; Special Instructions</b>
1		Extended cab with no back seats
1	B	Include additional key fob for door locks ( 2 are standard this will be a extra for total of three)
1		Chassis does not require Liquid Spring or air ride
1		Delete standard stainless steel wheel covers (rims to be painted)
1		Key #2 differently than other compartments

Qty		<b>PAINT OPTIONS</b>	
<u>1</u>	P-09	Any Color of Paint other than White	
<u>1</u>	P-10	Wet Sand & Buff	
<u>1</u>	P-12	Paint Roof White	
<u>1</u>	P-13	Delete Standard Beltline Paint	
Qty		<b>Pinstripe</b>	
<u>1</u>	P-24	6" 3M Diamond Grade Chevrons, Two Alternating Colors	
<u>1</u>		<b>Fill-in Color(s)</b> _____ Red/Gold _____	
<u>1</u>	A	Primary Paint Color <b>RACE RED</b>	
<u>1</u>	A	Primary Paint Code & MFG <b>PPG 906360</b>	
<u>1</u>		Primary Pinstripe Color black	
<u>1</u>		Secondary Pinstripe Color Gold	
Qty		<b>Demo Decals</b>	
Qty		<b>Additional Paint Options &amp; Special Instructions</b>	
<u>1</u>		Engine turn gold leaf (simulated) and refl lettering, sols	
<u>1</u>		6" refl "S" stripe, 1" pin , Large Refl flag	
<u>7</u>		Paint wheels black including spare	
<u>4</u>		Hubs painted black	
<u>1</u>	A	Blackout package <b>IF IT SHINES MAKE IT BLACK</b>	
Qty		<b>Additional Options &amp; Instructions</b>	